

Mark the appropriate boxes	Machine Description & Number													
<b>S</b> - Satisfactory														
U - Unsatisfactory		Month												
N - Not Applicable	Reference Standard	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Controls														
Support Against Strain	B30.2-1.13.1													
Identification/labels	B30.2-1.13.1													
Warning Labels/decals	B30.2-1.1.5													
General Condition	B30.2-2.1.4													
Hook														
Safety Latch	1910.179 (j)													
Deformation	B30.10-1.10.5													
Wear	B30.10-1		1											
Cracks, Nicks, Gouges	B30.10-1													
Attachment Points	B30.10-1		1											
Self-Locking Operation	B30.10-1									1			1	
Chain														
Operation	B30.16-4.5.1													
Lubrication	B30.16-4.5.2													
Defects/wear	B30.16-4.5.1													
Wire Rope														
Distortion	B30.2-2													
Corrosion	B30.2-2													
Broken Wires/cuts	B30.2-2													
Reeving	1910.179 (j)													
Structure														
Load Rating Marked	B30.2-1.1.1													
Defects, Cracks, Welds	B30.2-2.1.5													
Air System	B30.2-1.4													
Hydraulic System	B30.2-1.5		1											
Bridge			1											
Wear/defects	B30.2-2.1 & 1910.179 (j)													
Trolley														
Wear/defects	B30.2-2.1 & 1910.179 (j)													
Hoist	B30.2-2.1 & 1910.179 (j)									1				
Wear/defects														

Mark the appropriate boxes S - Satisfactory		Machin	e Descri	ption &	Number										
U - Unsatisfactory	Reference Standard														
N - Not Applicable		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		
Electrical															
Emergency Disconnect	B30.2-1 & 1910.179 (g)														
Identification/labels	B30.2-1.1														
Warning Labels/decals	B30.2-1.1														
NFPA / NEC wiring	B30.2-1.1														
Function															
Limit Switches	1910.179 (j)														
Hoist Mechanisms	1910.179 (j)														
Bridge Mechanisms	1910.179 (j)														
Trolley Mechanisms	1910.179 (j)														
Cab															
Fire Extinguisher	B30.2-3.7.3														
Access	B30.2-3.7.2														
Lighting	B30.2-1.5.6														
Hand Signal Chart	B30.2-3.6														


## Inspector's Signature

If this crane is not utilized on a date, draw a vertical line through the column.

Please Note - An inspector/operator is responsible to bring Unsatisfactory items to the attention of his/her supervisor and/or maintenance department. **CICB** has put this Monthly Checklist together as a guide and the operator/inspector should always refer to the manufacturer to ensure that all required items are being inspected at the proper frequency.

## **CICB Monthly Rope & Hook Checklist**

\*\*This form shall be used for each piece of rope. \*\*



Inspection Points			Month											
Wire Rope		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Parts of Line	B30.2-2.4.3 & 1910.179 (m)													
Nominal Diameter	B30.2-2.4 & 1910.179 (m)													
Measured Diameter	B30.2-2.4 & 1910.179 (m)													
Rope Damage	B30.2-2.4 & 1910.179 (m)													
Broken Wires (1) Strand / (1) Lay	B30.2-2.4 & 1910.179 (m)													
Broken Wires (1) Lay	B30.2-2.4 & 1910.179 (m)													
Broken Wires at End Fittings	B30.2-2.4 & 1910.179 (m)													
Wear	B30.2-2.4 & 1910.179 (m)													
Corrosion	B30.2-2.4 & 1910.179 (m)													
Hook														
Safety Latch	B30.10-2.10.5													
Deformation/Twists	B30.10-2.10.5													
Deformation/Throat Opening	B30.10-2.10.5													
Wear - Bowl	B30.10-2.10.5													
Wear - Eye	B30.10-2.10.5													
Cracks, Nicks, Gouges	B30.10-2.10.5													
Attachment Points	B30.10-2.10.5													
Self-Locking Operation	B30.10-2.10.5													

## Inspector's Signature

If this crane is not utilized on a date, draw a vertical line through the column. Please Note - An inspector/operator is responsible to bring Unsatisfactory items to the attention of his/her supervisor and/or maintenance department. **CICB** has put this Monthly Checklist together as a guide and the operator/inspector should always refer to the manufacturer to ensure that all required items are being inspected at the proper frequency.